MK CEMENT SOFTENER

Revision Date: 8 Jan 2024

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	: MK CEMENT SOFTENER
Chemical Formula	: Compounded product
Chemical Family	: N/A
Uses	: Cement stains removal
Supplier	: Marckem Sdn Bhd
Address	: No.43, Jalan 3/62B, Bandar Menjalara Kepong, 52200
	Kuala Lumpur
Contact	: 03-62773568
Email	: kl_inquiry@marckem.com

SECTION 2. HAZARDS IDENTIFICATION



	• • • • • • • • • • • • • • • • • • •
Hazard Pictograms	:
Signal Word	: Warning; Danger
Hazard Classifications	: Skin corrosion – Category 1B
	: Serious eye damage – Category 1
	: Acute toxicity (Oral) – Category 4
Hazard Statements	: H302: Harmful if swallowed.
	: H314: Causes skin corrosion.
	: H318: Causes serious eye damage.
Precautionary Statements: Prevention	
	: P102: Keep out of reach of children.
	: P233: Keep container tightly closed.
	: P264: Wash hands thoroughly after handling.
	: P280: Wear protective gloves/protective clothing/eye
	protection/face protection
	: Response
	: P301+P330+P331: IF SWALLOWED: rinse mouth,
	Do not induce vomiting.
	: P302+P352: IF ON SKIN: wash with soap and water.
	: P305+P351+P338: IF IN EYES: Rinse continuously with
	water for several minutes. Remove contact lenses if
	present and easy to do. Continue rinsing.

MK CEMENT SOFTENER

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Hydrochloric Acid
CAS No.	7647-01-0
Proportion	<18.0%
Exposure Limit	PEL:5ppm
Toxicological	NDA

SECTION 4. FIRST AID MEASURES

Eye Contact	: Wash the eyes with large amount of water. If any irritation or discomfort
	persists, seek medical attention.

- **Skin Contact** : Wash the affected area with large amount of water. If any irritation or discomfort persists, seek medical attention.
- **Inhalation** : Remove the affected person to fresh air. If any irritation or discomfort persists, seek medical attention.
- **Ingestion** : Do not induce vomiting. The affected person may be given water to drink. Seek immediate medical attention.

SECTION 5. FIRE FIGHTING MEASURES

Product	: Not considered as flammable
Flash Point	: Not determined (Aqueous System)
Autoignition Temperature: NA	
Flammable Limit (%)	: Not determined (Aqueous System)
Explosion Properties	: NA
Extinguishing Media	: Dry chemical, water fog or alcohol foam
Fire Fighting Instruction	: Wear full protective cloth & self-contained breathing
	apparatus.
Explosion Hazard in Presence of Various Chemical	: During fire, HLC and HF may decompose by reacting with certain metals to produce very flammable and explosive H ² gas.

MK CEMENT SOFTENER

SECTION 6. ACCIDENTAL RELEASE MEASURE

Small Leak or Spill : Flush away to drain using large amount of water.

Large Spill: Collect spills for disposal. Wear protective equipment.
Collect spill for disposal.

SECTION 7. HANDLING AND STORAGE

- Handling : Avoid direct contact with eyes. Always follow industrial safety practices.
- **Storage** : Store in cool, dry place. Keep container closed and away from acidic products.

SECTION 8. EXPOSURE CONTROL AND PERSONAL PROTECTION

a) Exp	osure	Limit:
--------	-------	--------

b) Personal Protection	: Protective clothing, gloves and goggles should be
Eye/Skin Protection	worn if prolonged contact or use is anticipated.
Respiratory Protection	: None required in normal use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Clear transparent slight brownish liquid
Odour	: Sharp penetrating sourish odour
Solubility	: NA
Boiling Point	: NA
Melting Point	: NA
Vapour Pressure (mm of Hg at 255c)	: NA
Percent Volatiles	: NA
Evaporation Rate	: NA
Specific Gravity (26c)	: 1.10-1.12
Other Properties if Applicable	: pH (1%W/W): 1.0-2.0

MK CEMENT SOFTENER

Revision Date: 8 Jan 2024

SECTION 10. STABILITY AND REACTIVITY

Incompatible

: Do not mix with other chemicals.

: Alkaline.

Decomposition Products Hazardous Polymerization : Hydrogen chloride. : Will not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

Toxicity Data	: No data currently available
Carcinogenicity	: No data currently available
Reproductive Effect	: No data currently available
Effects of Over Exposure	:
Route of Entry	<u>Effects</u>
Eyes Contact	: May cause severe damage to cornea.
Skin Contact	: Can cause sensitisation to the skin.
Inhalation	: Can cause irritation of nose, throat, and respiratory tract In high vapour condition.
Ingestion	: Can cause stomach discomfort, nausea, and vomiting.
Chronic Effects	: No data currently available
Target Organs	: No data currently available
Medical Conditions General Aggravated by Exposure	: No data currently available

SECTION 12. ECOLOGICAL INFORMATION

: Miscible with water.
: No date currently available.
: Easily biodegraded.
: Harmful to aquatic organisms in high concentration.

MK CEMENT SOFTENER

SECTION 13. DISPOSAL CONSIDERATION

Dispose in accordance with all applicable national environment laws and regulations.

SECTION 14. TRANSPORT INFORMATION

UN No.: NAClassification: NAPacking Group: NANA = Not Applicable

NDA = No Data Available

SECTION 15. REGULATORY INFORMATION

Kindly refer to local regulatory which applicable.

SECTION 16. OTHER INFORMATION

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of Marckem Sdn Bhd knowledge, information, and belief accurate as the data indicated.

The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.